

## Clinical Hypnosis

### What is it?

Hypnosis has been used for thousands of years, but Western scientists first became familiar with it in the 1770s. It is derived from the Greek word *hypnos*, “to sleep.” Hypnosis had its start in the 18<sup>th</sup> century with Franz Anton Mesmer, who used it to treat a variety of mental health disorders.<sup>1</sup> Most clinical hypnotherapists use approaches developed by Milton Erickson in the early 20<sup>th</sup> century. Erickson viewed hypnosis as a way to calm and quiet the conscious mind so that the subconscious could be accessed. A recent demographically balanced survey of 1000 American adults found that 7.6% of them had had hypnosis, and 63% of those reported benefit.<sup>2</sup>

The goal of hypnosis is to trigger, strengthen, and then make use of a trance state. Trance is a naturally occurring state during which unconscious thought and symbolic logic are more dominant, while “higher” thought and logic are less so. When a person is in a trance state, nonvoluntary and involuntary body process become more easily controlled and changeable.

### How It Works

People are guided into the trance state through induction procedures which foster relaxation and an altered state of consciousness.<sup>3,4</sup> Attention becomes more focused, and distractions diminish. It is a similar state to being lost in thought, daydreaming, or being caught up in a good book.

Hypnosis uses two strategies while a person is in the trance-like state, in order to change sensations, perceptions, thoughts, feelings, and behaviors. First, mental imagery and symbolism are used. For example, a person may be asked to imagine what his/her pain looks like. If they describe it as a sharp red object, they might be encouraged to shift the imagery, so that colors represent a healthier state (e.g., soft and cool blue). A person may also envision certain desired behaviors or visualize a procedure or surgery going smoothly in advance.

The second of the two hypnotic strategies is the use of suggestions. Ideas and suggestions are brought up to support the goals of the session. They are most likely to be effective when a person is (1) relaxed, (2) open to suggestions, (3) able to experience sensations related to the suggestions, and (4) able to envision the suggestions leading to results.

People vary in terms of how well they can enter trance. Hypnotic ability is a relatively stable trait that often runs in families.<sup>5</sup>

## When to Use It

Hypnosis is most often used for improving sleep, changing habits, and reducing pain, anxiety, and IBS symptoms.<sup>4</sup> It has been found to provide non-pharmacological analgesia for invasive medical procedures,<sup>6</sup> and it reduced anesthesia needs, pain intensity, nausea, fatigue, and emotional upset in women undergoing breast surgery.<sup>7</sup> While it shows promise, more research is needed to support its use. In 2018, the US Department of Veterans Affairs Health Services Research and Development Service concluded, “There is low-confidence evidence that hypnosis provides benefit over comparator interventions for anxiety in patients with cancer, breast cancer care (i.e., pain, distress, fatigue, nausea/vomiting, and hot flashes), and weight loss in obese participants. Limitations to the body of evidence include small combined samples sizes, poor study quality, and inconsistencies among the studies that were included in the systematic reviews.”<sup>8</sup>

The American Society of Clinical Hypnosis compiles hypnotherapy research. In general, they conclude evidence is supportive for the following (and the list is by no means exhaustive)<sup>9-13</sup>:

- Acute and chronic pain (back pain, cancer pain, dental anesthesia, headaches, and arthritis)
- Allergies, asthma
- Anxiety and stress management
- Burn wound care
- Cancer care
- Childbirth
- Concentration difficulties, test anxiety, and learning disorders
- Depression
- Dermatologic disorders (eczema, herpes, neurodermatitis, itching, psoriasis, warts)
- Fibromyalgia (especially combined with CBT or imagery)
- Gastrointestinal disorders (ulcers, colitis, Crohn’s disease)
- Hemophilia
- High blood pressure
- IBS<sup>14</sup>
- Nausea and vomiting associated with chemotherapy and pregnancy
- Obesity and weight control
- Raynaud’s
- Surgery/Anesthesiology
- Trauma
- Palliative care in severe chronic disease
- Sexual dysfunction
- Sleep disorders

A 2019 Cochrane review concluded that, while there is no evidence that hypnosis is harmful, evidence is insufficient to tell if clinical hypnosis is more effective than other approaches for smoking cessation, and if it has benefit, the benefit is small.<sup>15</sup>

Often, hypnosis sessions are recorded so a person can use them repeatedly. Self-hypnosis can be a powerful approach itself.<sup>16</sup> Recent studies have also indicated that online hypnosis interventions may be effective for conditions such as migraines.<sup>17</sup>



## What to Watch Out for (Harms)<sup>18</sup>

Hypnosis tends to be very safe, according to number of meta-analyses.<sup>12,19</sup> A 2018 review found no adverse event reports, noting that some studies did not report on safety at all.<sup>20</sup> Using hypnosis to work through events in one's past may lead to the creation of false memories and trigger strong emotional reactions. Rarely, it can cause drowsiness, headache, dizziness, and/or anxiety.

Clinical hypnosis is very different from stage hypnosis. People may joke about not wanting to “cluck like a chicken,” and they can be gently reminded that people in trance never lose control.

## Tips From Your Integrative Health Colleagues

The [American Society of Clinical Hypnosis](#) and other groups offer certifications programs in hypnotherapy.

## Resources

### University of Wisconsin Integrative Health Library

- [“Balloon Self-Hypnosis Technique for IBS and Abdominal Pain – A Guide for Clinicians”](#)  
- <https://www.fammed.wisc.edu/files/webfm-uploads/documents/outreach/im/tool-balloon-self-hypnosis.pdf>

### Other Websites

- [American Society of Clinical Hypnosis](http://www.asch.net/). <http://www.asch.net/>

### Apps and Monitoring Software

- **Deep Sleep and Relax Hypnosis.** Self-hypnosis for people with poor sleep.
- **Digipill.** Uses neurolinguistic programming and psychoacoustics. Hypnotic suggestions focused on an array of topics.
- **Harmony Hypnosis Meditation.** Self-hypnosis and meditation resources. Different messages for each ear come through your earphones (dual vocal delivery).
- **Headspace.** Hundreds of guided meditations. Monthly fee after trial.
- **Hypnobox.** Customizable self-hypnosis app.
- **Relax and Sleep Well Hypnosis.** Hypnotherapy and meditation sessions.

## Author(s)

“Hypnosis” was adapted for the University of Wisconsin Integrative Health Program from the original written by Shilagh Mirgain, PhD and Janice Singles, PsyD. (2014, updated 2016)

## References

1. Micozzi M, Jawer M. Mind-body therapies, stress, and psychometrics. In: Micozzi M, ed. *Fundamentals of Complementary and Alternative Medicine*. 4th ed. Saunders; 2014.
2. Palsson O, Twist S, Walker M. A national survey of clinical hypnosis views and experiences of the adult population in the United States. *Int J Clin Exp Hypn*. Oct-Dec 2019;67(4):428-448. doi:10.1080/00207144.2019.1649538



3. American Society of Clinical Hypnosis (ASCH). ASCH Home Page. American Society of Clinical Hypnosis website. Accessed July 23, 2020, <https://www.asch.net/>
4. Mirgain SA, Singles J. Mind and Emotions Overview. University of Wisconsin Integrative Health Library website. Accessed June 14, 2022, <https://www.fammed.wisc.edu/files/webfm-uploads/documents/outreach/im/overview-mind-and-emotions.pdf>
5. Moss D, Willmarth E. Hypnosis, anesthesia, pain management, and preparation for medical procedures. *Ann Palliat Med*. Sep 2019;8(4):498-503. doi:10.21037/apm.2019.07.01
6. Lang EV, Benotsch EG, Fick LJ, et al. Adjunctive non-pharmacological analgesia for invasive medical procedures: a randomised trial. *Lancet*. Apr 29 2000;355(9214):1486-90. doi:10.1016/s0140-6736(00)02162-0
7. Montgomery GH, Bovbjerg DH, Schnur JB, et al. A randomized clinical trial of a brief hypnosis intervention to control side effects in breast surgery patients. *J Natl Cancer Inst*. Sep 5 2007;99(17):1304-12. doi:10.1093/jnci/djm106
8. U.S. Department of Veterans Affairs. Management eBrief no. 153. Accessed July 23, 2020, [https://www.hsrd.research.va.gov/publications/management\\_briefs/default.cfm?ManagementBriefsMenu=eBrief-no153](https://www.hsrd.research.va.gov/publications/management_briefs/default.cfm?ManagementBriefsMenu=eBrief-no153)
9. Kirsch I. Cognitive-behavioral hypnotherapy. In: Rhue JW, Lynn SJ, Kirsch I, eds. *Handbook of Clinical Hypnosis*. American Psychological Association; 1993:151-171.
10. Brugnoli MP. Clinical hypnosis for palliative care in severe chronic diseases: a review and the procedures for relieving physical, psychological and spiritual symptoms. *Ann Palliat Med*. Oct 2016;5(4):280-297. doi:10.21037/apm.2016.09.04
11. Wortzel J, Spiegel D. Hypnosis in cancer care. *Am J Clin Hypn*. Jul 2017;60(1):4-17. doi:10.1080/00029157.2017.1290577
12. Zech N, Hansen E, Bernardy K, Hauser W. Efficacy, acceptability and safety of guided imagery/hypnosis in fibromyalgia - A systematic review and meta-analysis of randomized controlled trials. *Eur J Pain*. Feb 2017;21(2):217-227. doi:10.1002/ejp.933
13. Valentine KE, Milling LS, Clark LJ, Moriarty CL. The efficacy of hypnosis as a treatment for anxiety: a meta-analysis. *Int J Clin Exp Hypn*. Jul-Sep 2019;67(3):336-363. doi:10.1080/00207144.2019.1613863
14. Schaefer R, Klose P, Moser G, Hauser W. Efficacy, tolerability, and safety of hypnosis in adult irritable bowel syndrome: systematic review and meta-analysis. *Psychosom Med*. Jun 2014;76(5):389-98. doi:10.1097/psy.0000000000000039
15. Barnes J, McRobbie H, Dong CY, Walker N, Hartmann-Boyce J. Hypnotherapy for smoking cessation. *Cochrane Database Syst Rev*. Jun 14 2019;6(6):Cd001008. doi:10.1002/14651858.CD001008.pub3
16. Brugnoli MP, Pesce G, Pasin E, Basile MF, Tamburin S, Polati E. The role of clinical hypnosis and self-hypnosis to relief pain and anxiety in severe chronic diseases in palliative care: a 2-year long-term follow-up of treatment in a nonrandomized clinical trial. *Ann Palliat Med*. Jan 2018;7(1):17-31. doi:10.21037/apm.2017.10.03
17. Flynn N. Effect of an online hypnosis intervention in reducing migraine symptoms: a randomized controlled trial. *Int J Clin Exp Hypn*. Jul-Sep 2019;67(3):313-335. doi:10.1080/00207144.2019.1612674
18. Sifferlin A. How Safe is Hypnosis? Time. Accessed July 23, 2020, <https://time.com/4068201/how-safe-is-hypnosis/>
19. Hauser W, Hagl M, Schmierer A, Hansen E. The efficacy, safety and applications of medical hypnosis. *Dtsch Arztebl Int*. Apr 29 2016;113(17):289-96. doi:10.3238/arztebl.2016.0289
20. Bollinger JW. The rate of adverse events related to hypnosis during clinical trials. *Am J Clin Hypn*. Apr 2018;60(4):357-366. doi:10.1080/00029157.2017.1315927